

# Connectors *Plus*



*Call for pricing!*

# 2025 PRODUCT CATALOG

**866.666.9004**  
**CONNECTORSPLUSINC.COM**

*Peace of mind is knowing  
you're recording the crime*



# HI-RES NVR SYSTEMS



**4 CH 8MP NVR with  
4 Plug & Play Ports**  
40 Mbps, 1 HD Bay, 4K

**PN1B-4X4NH2**  
2TB  
4TB  
6TB

**8 CH 8MP NVR with  
8 Plug & Play Ports**  
80 Mbps, 1 HD Bay, 4K

**PN1B-8X8NH2**  
2TB  
4TB  
6TB  
8TB  
10TB

**8 CH 16MP NVR with 8 Plug & Play  
Ports, True Facial Recognition**  
160 Mbps, 1 HD Bays, 4K

**PN3A-8X8FNH**  
2TB  
4TB  
6TB  
8TB  
10TB

**16 CH 8MP NVR with  
16 Plug & Play Ports**  
160 Mbps, 2 HD Bays, 4K

**PN1A-16X16-2NH2**  
2TB  
4TB  
6TB  
8TB  
10TB  
12TB

**32 CH NVR with 16 Plug & Play Ports**

- 320 Mbps, (2) NIC Cards, 4 HD Bays, 4K
- Up to 12 Megapixel Resolution Recording
- (2) NIC Cards: Connect Cameras 1-16 via PnP into unit. Connect cameras 17-32 via switch behind closed network.
- Outputs: 1 HDMI (4K), 1 HDMI (1080p), VGA (1080p)

**PN3A-16X16FNH**  
2TB  
4TB  
6TB  
8TB  
10TB  
12TB

**32 CH NVR with 16 Plug & Play Ports**

- 320 Mbps, (2) NIC Cards, 8 HD Bays, 4K
- Up to 12 Megapixel Resolution Recording
- (2) NIC Cards: Connect Cameras 1-16 via PnP into unit. Connect cameras 17-32 via switch behind closed network.
- Outputs - 1 HDMI (4K), 1 HDMI (1080p), VGA (1080p)

**PN3A-32X16FNH**  
4TB  
6TB  
8TB  
10TB  
12TB

**32 CH NVR (no PoE), 320 Mbps,  
(2) NIC Cards, 8 HD Bays**

- Up to 16 Megapixel Resolution Recording
- Supports up to 16 channel simultaneous playback
- Outputs - 1 HDMI (8K/4K), 2 HDMI (4K)\*, 1 HDMI (1080p), VGA (1080p)

**PN3A-32FNH**  
4TB  
6TB  
8TB  
10TB  
12TB

**64CH NVR (no PoE) 640Mbps,  
(2) NIC Cards, 8 HD Bays**

- Up to 16 Megapixel Resolution Recording
- Supports up to 16 channel simultaneous playback
- Outputs - 1 HDMI (4K), 3 HDMI (1080P), VGA (1080p)

**PN3A-64FNH**  
4TB  
6TB  
8TB  
10TB  
12TB

**128CH NVR, 768Mbps,  
(2) NIC Cards, 16 HD Bays**

- Up to 16 MP Resolution Recording
- Supports up to 16 channel simultaneous playback
- Outputs - 1 HDMI (8K/4K), 2 HDMI (4K)\*, 1 HDMI (1080p), VGA (1080p)

*\*If Using 8K on HDMI 1, HDMI 2 is Disabled.*

**PN3A-128FNH**  
4TB  
6TB  
8TB  
10TB  
12TB

*\*Please call for HD storage over 12 TB HDD.*

## 5 MP IP CAMERAS

**5 MP Outdoor Bullet**  
Wide Angle 1.7mm Fixed  
Lens, WDR, 12VDC/PoE



**PAR-P5BXIR17-LC**



**5 MP IP Dome**

- Fixed 2.8mm Lens, IR Range: 65', WDR, 12VDC/PoE, with HDMI Output
- HDMI Output- Type D To Type A
- Logo & Message Display Technology

**PAR-P5DRIR28NH-HDMI**

**5 MP IP Outdoor Thermal  
Turret Camera**

Fixed Lens, IR Range: 98', WDR,  
Built-in Mic + Speaker, SD Card  
Slot, 12VDC/PoE



**PAR-P5TXIR4TH3**

# UPGRADED 4,6 & 8 MP IP CAMERAS

with New Enhanced Night Vision: Matrix IR & White Light, Programmable Analytics  
& Supplemental Light Options: IR, White Light and White Light Trigger

## 4MP, 6 MP or 8MP IP Outdoor Bullet

Fixed 2.8 mm Lens,  
True AI, 98' IR Range,  
True WDR, Built-in  
Mic, SD Card Slot,  
PoE/12VDC



**PAR-P4BIR28-LC3**  
**PAR-P6BIR28-LC3**  
**PAR-P8BIR28-LC3**

## 6 MP or 8 MP IP Outdoor Bullet

2.8-12mm Motorized  
A/F, 164' IR Range,  
True WDR, Built-in Mic (5MP), Audio Input  
(8MP), SD card slot, PoE/12VDC



**PAR-P6BIRA2812-LC3**  
**PAR-P8BIRA2812-LC3**

## 6 MP or 8MP Outdoor Dome

2.8 mm Fixed  
Lens, 98' IR Range,  
WDR, Built-in  
Mic, SD Card Slot,  
PoE/12VDC



**PAR-P6DRIR28-LC3**  
**PAR-P8DRIR28-LC3**

## 6 MP or 8MP IP Outdoor Dome

2.8-12mm Motorized  
A/F, Up to 164' IR  
Range, True WDR,  
Built-in Mic, SD Card  
slot, 12VDC/PoE



**PAR-P6DRIRA2812-LC3**  
**PAR-P8DRIRA2812-LC3**

## 4MP, 6MP, or 8MP Outdoor Turret

2.8mm Fixed Lens, 98'  
IR Range, True WDR,  
Built-in Mic, SD Card  
Slot, PoE/12VDC



**PAR-P4TXIR28-LC3**  
**PAR-P6TXIR28-LC3**  
**PAR-P6TXIR28B-LC3 (Black Body)**  
**PAR-P8TXIR28-LC3**  
**PAR-P8TXIR28-LC3(B)**

## 6MP or 8MP Outdoor Turret

2.8-12mm Motorized  
Auto-Focus, 164' IR  
Range, True WDR,  
Built-in Mic, SD Card  
Slot, PoE/12VDC



**PAR-P6TXIRA2812-LC3**  
**PAR-P8TXIRA2812-LC3**

## 4, 6, 8 & 12 MP AI IP CAMERAS

### 4, 6, or 8 MP IP Outdoor Bullet

True AI, 2.8 mm  
Fixed lens, 98' IR,  
True WDR, Audio  
Input, 12VDC/PoE



**PAR-P4BIR28NH-AI**  
**PAR-P6BIR28NH-AI**  
**PAR-P8BIR28NH-AI**

### FULL COLOR Day & Night

#### 4 or 8 MP IP Outdoor Bullet or Turret Camera

24/7 Full-Color Day AND  
Night, White Light 98', True  
AI, Fixed 2.8 mm lens, Built-  
in Mic, 12VDC/PoE



**PAR-P4BIRL28NH-AI**  
**PAR-P4TXIRL28NH-AI**  
**PAR-P8BIRL28NH-AI**  
**PAR-P8TXIRL28NH-AI**

### 4, 6, 8 or 12 MP IP Outdoor Bullet

2.8-12mm Motorized  
Auto-Focus Lens,  
True AI, 164' IR,  
WDR, Audio Input,  
12VDC/PoE



**PAR-P4BIRA2812NH-AI**  
**PAR-P4BIRA2812BNH-AI (Black Body)**  
**PAR-P6BIRA2812NH-AI**  
**PAR-P8BIRA2812NH-AI**  
**PAR-P12BIRA2812NH-AI**

### 4, 6 or 8 MP IP Outdoor Dome

2.8 mm Fixed Lens, True  
AI, 98' IR, WDR, Built-in  
Mic, 12VDC/PoE



**PAR-P4DRIR28NH-AI**  
**PAR-P6DRIR28NH-AI**  
**PAR-P8DRIR28NH-AI**

### 4, 6, 8 or 12 MP IP Outdoor Dome

2.8-12mm Motorized  
Auto-Focus Lens, True  
AI, 164' IR, WDR, Built-in  
Mic, PoE/12VDC



**PAR-P4DRIRA2812NH-AI**  
**PAR-P6DRIRA2812NH-AI**  
**PAR-P8DRIRA2812NH-AI**  
**PAR-P12DRIRA2812NH-AI**

### 4, 6 or 8 MP IP Outdoor Turret

True AI, 2.8 mm Fixed  
Lens, 98' IR, True WDR,  
Built-in Mic, PoE/12VDC



**PAR-P4TXIR28NH-AI**  
**PAR-P4TXIR28BNH-AI (Black Body)**  
**PAR-P6TXIR28NH-AI**  
**PAR-P8TXIR28NH-AI**  
**PAR-P8TXIR28BNH-AI (Black Body)**

CALL TODAY TO ORDER: 1-866-666-9004

Connectors  
Plus

# 4, 6, & 8 MP AI IP CAMERAS

## 4, 6 or 8 MP IP Outdoor Turret

2.8-12 mm  
Motorized Auto-  
Focus, 164' IR,  
WDR, Built-in Mic,  
DC12V/PoE



**PAR-P4TXIRA2812NH-AI**  
**PAR-P6TXIRA2812NH-AI**  
**PAR-P8TXIRA2812NH-AI**

## 4 MP or 6 MP IP Low Profile Indoor Camera

2.8 mm Fixed Lens,  
True AI, 65' IR,  
WDR, Built-in Mic,  
12VDC/PoE



**PAR-P4UFO28NH-AI**  
**PAR-P6UFO28NH-AI**  
**PAR-P6UFO28BNH-AI (Black Body)**

## 4 MP IP Outdoor Bullet or Turret Camera

2.8-12mm Motorized  
Auto-Focus Lens, 131'  
IR, WDR, White Light  
Supplement, Built-in  
Mic, 12VDC/PoE



**PAR-P4BIRA2812NH-AIWL**  
**PAR-P4TXIRA2812NH-AIWL**

## 4 or 8 MP IP Outdoor Bullet or Turret Camera

2.8-12mm Motorized Auto-Focus  
Lens, 131' IR, White Light up to 98',  
WDR, Red/Blue Flashing Deterrent  
Light and/or Siren, Built-in Mic/  
Speaker, 12VDC/PoE. **Black body  
options available. Call or email for  
more information.**



**PAR-P4BIRA2812NH-AIWL**  
**PAR-P4TXIRA2812NH-AIWL**  
**PAR-P8BIRA2812NH-AIWL**  
**PAR-P8TXIRA2812NH-AIWL**

## 8 MP IP Outdoor Bullet or Turret Camera

2.8mm Fixed Lens, 131' IR,  
White Light 98', WDR, Red/  
Blue Flashing Deterrent  
Light and/or Siren, Built-in  
Mic/Speaker, 12VDC/PoE



**PAR-P8BIR28NH-AIWL**  
**PAR-P8TXIR28NH-AIWL**

## 4 MP IP License Plate Recognition Outdoor Bullet



8-32mm Motorized A/F, Starlight  
Illumination, 328' IR, WDR, Audio  
In/Out, PoE/12VDC

**PAR-P4LPR832NH**

## IP PTZ CAMERAS

### 4 MP IP Outdoor PTZ

2.8-12mm Motorized Auto-  
Focus Lens, 164' IR, Flashing  
White Deterrent Light and/  
or Siren, WDR, Built-in Mic +  
Speaker, 12VDC/PoE+



**PAR-P4PTZXIR2812NH-AIWL**  
**PAR-P4PTZXIR2812BNH-AIWL**  
**(Black Body)**

### 2, 4 or 8MP IP Outdoor PTZ Camera

25x Zoom, 492' IR Range,  
WDR, 12VDC/PoE++, Wall  
Bracket Included



**PAR-P2PTZXIR25NH-AI**  
**PAR-P4PTZXIR25NH-AI2**  
**PAR-P4PTZXIR40NH-AI**  
**PAR-P8PTZXIR25NH-AI**  
**PAR-P8PTZXIR32NH-AI**



## 2 MP IP License Plate Recognition Outdoor Bullet

7-22mm Motorized A/F,  
Starlight Illumination,  
328' IR, WDR, Audio In, PoE/12VDC

**PAR-P2LPR722**



## 2 MP IP License Plate Recognition Outdoor Bullet

5-50mm Motorized A/F, Starlight  
Illumination, 328' IR Range, WDR, Audio Input,  
PoE/12VDC



**PAR-P2LPR550**



## THE DEFENDER BOX

A rugged, AI-powered enclosure designed  
for power, protection, and seamless  
security integration

- Weatherproof & durable – Built for any environment
- Cloud-ready & AI-powered – Remote monitoring & smart alerts
- Supports multiple accessories – Cameras, PTZs, strobes & more

# SPECIALTY IP CAMERAS

## 2 MP IP Outdoor Turret Camera with 7-22mm Auto-Focus Motorized Lens



Starlight White Light Detection, True WDR  
Built-in Mic, SD Card Slot, PoE/12VDC  
True Facial Recognition Capable with  
Compatible NVR

**PAR-P2FACETXIR722G2**

## 2 MP Outdoor Bullet with 7-22mm Auto-Focus Motorized Lens White Light Detection

- Audio Input/Output
- CVBS Output
- D-WDR
- SD Card Slot
- PoE/12VDC



**PAR-P2FACE722G1**

## 2 MP IP Metal Plate Elevator Camera

.8mm Lens, WDR,  
Covert IR Range: 82 FT,  
PoE/DC12V



**PAR-P2ELEV29NH**

## 4 MP Indoor Metal Case Camera "Works with Native Browsers"

2.8 mm Lens, D-WDR,  
Audio Input, PoE/DC12V

**ELEV-P4PIRNH**



## 5 MP IP Indoor Covert PIR Camera

Fixed 3.7mm Lens, WDR,  
Built-in Mic, PoE/DC12V  
(PIR is Non-functioning)

**ELEV-P4PIRNH**



## 5 MP IP Indoor Covert Smoke Detector Camera

Fixed 2.8mm Lens, WDR, Audio  
Input/Output, PoE/DC12V



**ELEV-P4SMOKENH**

## MORE COVERAGE • MORE FEATURES MORE VALUE

### 8 MP Outdoor Camera with 180 Degree Wide Angle View

Utilizing 2 Fixed  
Lenses, D-WDR,  
White Light Range  
up to 65', SD Card  
Slot, Built-in Mic +  
Speaker, DC12V/PoE



**PAR-PAN180NH-WL**

## 6 or 12 MP IP Outdoor Panoramic Camera

1.65mm Lens, IR 98', CVBS  
Output, Built-in Mic,  
PoE/12VDC



**PAR-P6PANNH  
PAR-P12PANNH**

## 8 MP IP Outdoor Panoramic Camera

4mm lens + 4CH, True AI, 49' IR,  
D-WDR, Audio Input/Output,  
24VAC/24VDC/PoE+



**PAR-P8PAN360-AI**

## 5 MP IP Outdoor Bullet or Turret Camera

180 Degree Wide Angle  
View, Up to 66' IR,  
WDR, Built-in Mic, SD  
Card Slot, 12VDC/PoE



**VIS-P5BXIR180NH-AI  
VIS-P5TXIR180NH-AI**

## 4 Megapixel Dome Dual 2.8mm Lens

(2) 4 Megapixel Dual Channel, Non-Splicing IP  
Outdoor Dome, 98' IR Range, WDR, 2-Built-in  
Mics, SD Card Slot, 12VDC/PoE



**PAR-P4DUALDRIR28NH-AI**

*Call for more information*



**Video Intercom  
Door Station  
PAR-P2INTERCOM**



**Video Indoor Station  
PAR-7DOORSTATION**

## 5" ALL IN ONE CCTV TESTER

- 5" IPS Touch Screen with 1920x1080 res.
- 8MP CVI/TVI/AHD camera test
- 8MP EX-SDI, HD-SDI
- H.265/H.264, 4K video display via mainstream
- VGA input & HDMI Input
- DC12V 3A, 48V PoE power output



**CAMTESTER5**

**CALL TODAY TO ORDER: 1-866-666-9004**

**Connectors  
Plus**



# PoE SWITCHES



## 4-Port PoE Switch

60W, UL Listed, With 2 Uplink Ports, 100 MBPS Ports

**VIS-LRPOE4-2N**



## 8-Port PoE Switch

88W, UL Listed, With 2 Uplink Ports, 100 MBPS Ports

**VIS-LRPOE8-2AN**

## 16-Port PoE Switch

1X SFP, 225W, UL Listed, With 2 Uplink Gig Ports, 100 MBPS Ports

**VIS-LRPOE16-2AN**

## 24-Port PoE Switch

1X SFP, 370W, UL Listed, With 2 Uplink Gig Ports, 100 MBPS Ports

**VIS-LRPOE24-2AN**

# OUTDOOR PoE SWITCHES



## Outdoor Switch

4-Ports 10/100/1000M POE waterproof box Ethernet Switch

**VIS-POE-OD4-1**

## 8 Port Full Gig Waterproof Box Ethernet Switch

**VIS-POE-OD8-2**

# GIGABIT SWITCHES



**4 Port PoE Switch With 1 Uplink Port. Full Gigabit**

**VIS-POE4-1FG**



**8+ 2 xRJ45 Full Gigabit, 125W, with 2 Uplink Ports**

**VIS-GIGPOE8-2**

16+2x RJ45+ 2X SFP Full Gigabit, 19" Rack Mountable Case, 300W UL Listed, with 2 Uplink Port

**VIS-GIGPOE16-2+**

24+2x RJ45+ 2X SFP Full Gigabit, 19" Rack Mountable Case, 400W UL Listed, with 2 Uplink Port

**VIS-GIGPOE24-2+**

# INDUSTRIAL GRADE HIGH & EXTRA POWER SWITCHES

## MANAGED SWITCHES



## SECA-GIGPOE4-1

### 4 Port Gigabit Unmanaged Switch

4 Port Industrial Grade Gigabit Unmanaged Switch with PoE Max Power per Port (at PSE): 30 W

## SECA-GIGPOE8-2MAN

### 8 Port Gigabit Managed Switch

8 Port Industrial Grade Gigabit Unmanaged Switch with PoE Max Power per Port (at PSE): 30 W



## VIS-POE8-2MAN

### 8-Port Managed PoE Switch

8-Port 10/100Mbps supports 50V DC output 1-Port 1Gbps Combo + 1-Port 1.25Gbps SFP

## VIS-POE16-2MAN

### 16-Port Managed PoE Switch

16-Port 10/100/1000Mbps supports 50V DC output. 2-Port 1Gbps RJ45 + 2-Port 1.25Gbps SFP + 1-Port Console



## VIS-POE24-2MAN

### 24-Port Managed PoE Switch

24-Port 10/100/1000Mbps supports 52V DC output. 2-Port 1Gbps RJ45 + 2-Port 1.25Gbps SFP + 1-Port Console

## VIS-POE48-4

### 48-Port Managed PoE Switch

48 x 1G POE ports + 4 x 10G SFP ports PoE Switch

# DVR LOCKBOXES

*with cooling fans*



**LB-18-18-5 18 X 18 X 5**

**LB-21-21-8 21 X 21 X 8**

**LB-21-24-8 21 X 24 X 8**

**LB-21-24-13 21 X 24 X 13**

# Wall Mounting Brackets

Horizontal Bracket Method "A"

Horizontal Bracket Method "B"

Vertical Bracket



**LB-HWB Horizontal Bracket**

**LB-VWB Vertical Bracket**

# DVRs



**4 CH + 2 Bonus IP CH  
(Up to 6 Cameras Total)  
Universal Port Lite Recorder,  
with Smart Analytic Support and  
Smart Motion Detection,  
Audio over Coax 1 HD Bay**

TVI/AHD/CVI: 5MP/4MP/1080p/720/WD1

**PD1B-4NH2**  
**2TB**  
**4TB**  
**6TB**

**8 CH + 4 Bonus IP CH  
(Up to 12 Cameras Total)  
Universal Port Lite Recorder,  
with Smart Analytic Support and  
Smart Motion Detection,  
Audio over Coax, 1 HD Bay**

TVI/AHD/CVI: 5MP/4MP/1080p/720/WD1

**PD1B-8NH2**  
**2TB**  
**4TB**  
**6TB**  
**8TB**  
**10TB**

**\*Please call for HD storage over 12 TB HDD.**

**16 CH + 8 Bonus IP CH (Up to 24  
Cameras Total) Universal Port Lite  
Recorder, with Smart Analytic Support  
and Smart Motion Detection,  
Audio over Coax, 2 HD Bays**

TVI/AHD/CVI: 5MP/4MP/1080p/720/WD1

**PD1B-16NH2**  
**2TB**  
**4TB**  
**6TB**  
**8TB**  
**10TB**  
**12TB**

**32 Ch + 8 Bonus IP CH (Up to 40  
Cameras Total) Universal Port  
Lite Recorder with Smart Analytic  
Support & Smart Motion Detection,  
Audio over Coax, 4 HD Bays**

Up to 8MP Lite Support. TVI/AHD/CVI: 8 MP  
Lite, 5 MP Lite, 4 MP Lite, 1080p, 1080p Lite,  
720p, WD1

**PD1B-32NH**  
**2TB**  
**4TB**

**4 CH TVI/AHD/CVI/Analog/IP  
Universal Port Recorder (8 MP)  
2 Bonus IP CH (8 MP), Up to  
6 Cameras Total, Audio Over Coax,  
1 HD Bay**

TVI: 8MP (Ch 1 Only), AHD: 8 MP (Ch 1 Only),  
CVI: 8MP (Ch 1 Only)

**PD2B-4NH2**  
**2TB**  
**4TB**  
**6TB**

**8 CH TVI/AHD/CVI/Analog/IP  
Universal Port Recorder (8 MP)  
8 Bonus IP CH (8 MP), Up to  
16 Cameras Total, 4K, Audio over  
Coax, 2 HD Bays**

**PD2B-8XNH2**  
**2TB**  
**4TB**  
**6TB**  
**8TB**  
**10TB**

**16 CH TVI/AHD/CVI/Analog/IP Universal Port Recorder  
(8 MP) Bonus IP CH (8 MP), Up to 24 Cameras Total,  
Audio over Coax, 2 HD Bays 2 HD Bays**

**PD2B-16NH**  
**2TB**  
**4TB**  
**6TB**

**8TB**  
**10TB**  
**12TB**

**32 CH TVI/AHD/CVI/Analog/IP 8 MP Universal Port  
Recorder 8 Bonus IP CH (8 MP), Up to 40 Cameras Total,  
(2) NIC Cards, Audio Over Coax, 8 HD Bays, RAID**

**PD2B-32NH**  
**4TB**  
**6TB**  
**8TB**

**10TB**  
**12TB**

**2.1 mm Female DC Plug  
with Flying Leads**



**PT-3**

**2.1 mm Male DC Plug  
with Flying Leads**



**PT-4**

**DC Plug to removable  
terminal block**

Small size for tight spaces. 2.1mm  
DC plug. 10 pieces/ Bag.



**P-008**

## ACCESSORIES

**DC Jack to removable terminal block**

Small size for tight spaces.

2.1mm DC Jack. 10 pieces/ Bag



**P-009**

**Y-Power 2.1mm Male DC  
Plug to Dual Female Plug**



**PT-6N**

**2.1 mm Male DC Plug  
to 4 Female Plugs**



**PT-14**

**Modular Wiring Accessories**

Also available with Anti-Corrosion Gel

**B Connectors, 1000 pcs per Box**

**CPI-B**

**GEL B Connectors, 1000 pcs per Box**

**CPI-BGEL**

**Power Splitter DC 1 Male to 8 Female  
Adapter Cable for CCTV Security system**

**PT-18**

**500/1000 FT Siamese  
Coax Cable**

Available in Black or White



**1526-L or 1526-M**

**CALL TODAY TO ORDER: 1-866-666-9004**

**Connectors  
Plus**

**Page 7**

# HD COAX CAMERAS (2MP, 5MP & 8MP)

## 2 MP 4-In-1 Indoor Metal Plate Elevator Camera

2.9 mm Lens, Covert 32' IR, D-WDR, 12VDC



**PAR-ALLELEV29**

## 5 MP 4-In-1 Pinhole Camera

2.8mm Lens, D-WDR, 12VDC



**ELEV-ALL5MP**

## 5 MP 4-In-1 Indoor Covert Functioning PIR

3.7 mm Lens, D-WDR, 12VDC



**ELEV-ALLPIR5A**

## 5 MP 4-In-1 Indoor Covert Smoke Detector Camera

2.8 mm Lens, D-WDR, DC12V



**ELEV-ALLSMOKE5A**

## 5-2 MP Field Selectable 4-In-1 Outdoor Turret

Super Wide Angle 1.8 mm Lens, 65' IR Range, True WDR, 12VDC



**PAR-ALL5TXIR18**

## 5 or 8MP 4-In-1 Outdoor Bullet Camera

Fixed 2.8mm Lens, Smart IR: 98', True Day/Night, 12VDC



**PAR-C5BIR28**  
**PAR-C8BIR28**  
**PAR-C5BIR36AWL**

(3.6 mm, Audio over Coax, Color Images @ Night)

## 5 or 8 MP 4-In-1 Outdoor Bullet Camera

Motorized A/F 2.8-12mm Lens, Smart IR: 164', True Day/Night, D-WDR, 12VDC



**PAR-C5BIRA2812N**  
**PAR-C8BIRA2812**

## 5 or 8MP 4-In-1 Vandal Dome

2.8 mm Lens, Smart IR 65', 12VDC



**PAR-C5DRIR28**  
**PAR-C8DRIR285**

## 5 or 8 MP 4-In-1 Vandal Dome

2.8-12mm Motorized A/F, 98' IR, 12VDC



**PAR-C5DRIRA2812N**  
**PAR-C8DRIRA2812**

## 5 or 8 MP 4-In-1 Outdoor Turret

2.8 mm Lens, Smart IR: 65', D-WDR, 12VDC



**PAR-C5TIRA28**  
**PAR-C5TIRA28B**  
**PAR-C5TIR36AWL**  
(3.6 mm, Audio over Coax, Color Image @ Night)  
**PAR-C8TIR28 (B)**

## 5 or 8 MP 4-In-1 Outdoor Turret

2.8-12mm Motorized A/F, 164' IR, 12VDC



**PAR-C5TXIRA2812**  
**PAR-C8TXIRA2812**

## 5-2 MP 4-In-1 Outdoor Long Range Bullet

Motorized AF 2.7-13.5 or 6-50 mm Lens, 197' or 361' IR Range, True WDR, Dual Voltage



**PAR-ALL5BIRA27135D**  
**PAR-ALLBIRA650DN**



# HD COAX CAMERAS (2MP, 5MP & 8MP)

## 2 MP License Plate Recognition Outdoor Bullet Camera

6-22mm Motorized A-F, 49' IR, Dual Voltage



**PAR-C2LPR622D**

## 2 MP HD-TVI Outdoor PTZ Bullet

5-50mm Motorized Pan  
Tilt Zoom, 328' IR, 12VDC



**PAR-C2PTZBXIRA550**

## 5-2 MP 4-In-1 Outdoor Turret

98' IR, True WDR, Dual Voltage



**PAR-ALL5TXIRA27135D  
PAR-ALL5TXIRA27135WLD**

(Color Image at Night)

## 2 MP 4-In-1 Outdoor Turret

2.8 mm Lens, 65' IR,  
DWDR, 12VDC



**PAR-TURRET28A  
PAR-TURRET28BA  
PAR-ALLTXIR28WL**  
(Color Image at Night)

## 2 MP 4-In-1 Outdoor Turret

2.8-12mm, True Day/Night, DWDR,  
98' IR, 12VDC



**PAR-VARITURRETA**

## 5 or 8MP 4-In-1 Outdoor Turret, 2.8 mm lens, 131' IR Range, D-WDR, 12VDC, Audio Over Coax (AoC)



**VIS-C5TXIRA28  
VIS-C5TXIRA28WL**  
(White Light IR for Color Image at Night)  
**VIS-C5TXIRA28WLIR**  
(True Day/Night Color Image with White Light or IR )  
**VIS-C8TXIR28**

## POWER SUPPLIES: 12VDC & 24VAC

### Slim Case 12VDC Transformer

1 AMP, UL



**MARS-1000R**

### 12V DC 5 Amp Power Supply

2.1mm plug, Power Input  
100-240v 50/60Hz, UL



**MARS-5000R**

### Slim Case 12VDC Transformer

2 AMP, UL



**DC-2A**

### Master Power Supply

24VAC, 9CH, 10A, PTC  
Resettable Fuse, UL



**PS-AC10A9CH 9<sup>99</sup>**

### Master Power Supply

24VAC, 18CH 20AMPs,  
PTC Resettable Fuse, UL

**PS18A18A7**

### 24VAC Transformer

50VA, UL



**CP-2450**



**Master Power Supply**  
12VDC, 9 CH, 10 AMPs, PTC, UL

**9P12VDC/10A UL**

**Master Power Supply**  
12VDC, 18 CH, 20 AMPs, PTC, UL

**12VDC18P/20A UL**

**Master Power Supply**  
12VDC, 18 CH, 30 AMPs, PTC, UL

**12VDC18P/30A UL**

**18CH 12VDC 20A UL  
Rack Mount Power Supply**  
with LCD Monitor for Voltage & Current,  
PTC Fuse



**DC18P/12VDC18P20ARM**

## MEGA PIXEL IR CORRECTED CCTV CAMERA LENS



**2M27135DC-IR**

1/2.7" 2MP 2.7-13.5mm AI D/N CS-Mount

**2M550DC-IR**

1/2.7" 2MP 5-50mm AI D/N CS-Mount

**4M550DC-IR**

1/2.7" 4MP 5-50mm AI D/N CS-Mount

# IP TRANSMISSION SOLUTIONS

## Passive IP Over Coax Extender

To send IP camera signal over existing coaxial cable.

No power required.  
Max transmission distance:  
300M over RG6U, 200M over RG59U



**IP01**

## Outdoor Waterproof Gigabit PoE Extender:

1 (PoE In) into 2 (PoE Out) 328 Feet Each Direction



**IPEXTOUT2**

## Extend IP signal over cost-effective CAT5e cable to up to 120M

Support data rate at 10/100/1000 Mbps (Auto-detection)



**SR01X LAN Repeater**

## Long Range IP Over CAT5e Extender



**IP09K**

## Indoor Passive PoE Extender: 1 In 2 Out



**IPEXTENDER2**

## Ethernet Extender over Coax To send and extend TCP/IP signal over CAT5e/6 or Coaxial cable.

Distance support: 500 meters at 100Mbps, 800 meters at 10Mbps



**IP09CK**

# PoE TRANSMISSION SOLUTIONS

## PoE Extender over CAT5e/6 or PoE Extender over Coaxial cable To extend IP/POE camera over Coaxial/CAT5e/6 cable.

Power from either a PoE switch or an external power adapter




**IP09P**

**IP09CP**

## PoE Extender Over Coax to extend PoE signal over coax cable.

Signal extension up to 300M over RG6U cable.



**IP01P**

## 90W 4 Port Long Range (800M) PoE Extender over CAT5e

- Extends PoE signal over a cost-effective Ethernet cable.
- Signal extension up to 800M over CAT5e (or greater) cable.
- Provides up to 90W power for remote PoE device.
- Power source from either a PoE switch or an external power adapter.
- Bandwidth up to 100Mbps



**IP09PHK**

# POWER YOUR WAY

## Solar or 110V Line-In Enclosure Options

### Weatherproof, Solar-Powered Off-Grid Security

- Add your cameras, horns and more
- Go anywhere with a mobile router
- Lithium-ion battery recharged by bi-facial solar panels



**INVID-SSS-100/200/300/400W**

**INVID-DDPB**

# IP/POE SURGE PROTECTOR

## High Performance Outdoor 1G PoE Surge Protector

To protect outdoor 1G PoE equipment from high voltage surges from nearby lightning strikes.  
Support high power 90W pass-through



**SP006PHO**

## 16 Channel PoE Surge Protector in 1U Rack

To protect up to 16 devices of 1G PoE equipment from high voltage surges from nearby lightning strikes.



**SP016P**

## HDMI SURGE PROTECTOR (HDMI Male to HDMI Female Connection)

Provide surge protection for HDMI equipment.



**SP8**

## AMPLIFIER

### HD-TVI/AHD/HDCVI/CVBS Video Amplifier

To boost HDTVI, AHD, HDCVI signal for longer distance over coax cable.



**VA-101HD**

## HD-TVI/AHD/HDCVI/CVBS Converters with Loop Out

### HD-TVI/AHD/HDCVI to CVBS

- Converts AHD/HD-TVI/HDCVI signal to composite video.
- Built in local loop output.
- Input support: AHD/HD-TVI/CVI, 720p@25/30, 720p@50/60hz, 1080p@25/30Hz



**AD001HD1**

### HD-TVI/AHD/HDCVI/CVBS to HDMI/VGA/CVBS

- Converts HD-TVI/AHD/HDCVI/NTSC/PAL/960H signal to HDMI, VGA, Composite Video or loop out.
- Input support: HD-TVI AHD HDCVI support:720p@25/30/50/60 1080p@25/30Hz.
- Output support: HDMI, VGA, Composite Video or loop out.



**AD001HD4**

### 4K HD-TVI/ AHD/ HDCVI/ CVBS to HDMI/ VGA/ CVBS Converter with Loop Out & Audio Embedder

- Converts HD-TVI/ AHD/ HDCVI/ CVBS to HDMI/ VGA, CVBS.
- Resolution up to 4K/ 8MP for HD-TVI/ AHD/ HDCVI.
- Resolution up to 4K HDMI, 1080p VGA, and NTSC/ PAL.



**AD001HDE**

## RG59 BNC COAX Jumper Cable Male to Male

BB-1 ..... 1 FT  
BB-2 ..... 2 FT  
BB-3 ..... 3 FT  
BB-6 ..... 6 FT  
BB-12 ..... 12 FT  
BB-25 ..... 25 FT  
BB-50 ..... 50 FT  
BB-100 ..... 100 FT  
BB-300 ..... 300 FT



**BNC to BNC Jumper  
Cables Mini RG-179/U 75  
OHM Cable**

BMB-3 3 FT  
BMB-6 6 FT  
BMB-13 13 FT  
BMB-33 33 FT

## CABLING

### HD BNC Cable with Power Pre-made CCTV Security Camera Cables



HDC-33 .....33 FT  
HDC-65 .....65 FT  
HDC-100 ....100 FT  
HDC-165.....165 FT

### HD BNC Cable with Power & Audio Pre-made CCTV Security Camera Cables



HDC-A33.....33 FT  
HDC-A65 ....65 FT  
HDC-A100 ..100 FT  
HDC-A132 ...132 FT



# HDMI TRANSMISSION

**Passive HDMI CAT5e Extender 40M**  
Special design to extend HDMI signal of DVR/NVR over one CAT5e cable  
No external power required.



## HE01ERK

**HDMI CAT5e Extender with Passive Receiver 60M**  
To extend HDMI signal over one CAT5e cable.  
No power required at receiver side.  
(CP01SER)



## CP01SE

**4K HDMI & USB, Audio, RS232, IR CAT5 Extender 140M**  
To extend HDMI, RS232, IR and USB signal over one CAT5e cable.



## HKM01-4K

**4K60Hz 1 x 4 HDMI Distribution Amplifier**

To distribute one 4K60Hz HDMI input to four identical outputs.



## HD04-4K6G

**HDMI CAT5e Extender with HDMI Loop Out 150M**  
to extend HDMI signal over one Cat5e/CAT6 cable.  
Built-in HDMI local Loop Out



## HE03

**4K HDMI CAT5e Extender 100M**  
To extend HDMI signal over one CAT5e cable.  
Uncompressed high definition video



## HE02E

**HDMI over Coax Transmission**  
**HDMI over Coax Extender**  
To send HDMI signal over single coaxial cable.  
Max transmission distance: 100M at 1080p



## HE01C

**HDMI Dist. Amp. Extender**

1 x 4 HDMI Distribution Amplifier CAT5e Extender. To distribute and extend one HDMI signal to 4 remote HDMI displays over CAT5e cables.



## HE04SEK

**4K HDMI CAT5e Extender 140M**  
to extend 4K UHD HDMI signal over one CAT5e cable.  
Max transmission distance: 120M(CAT5e), 140M (CAT6)



## HE03-4K

**HDMI & USB Keyboard Mouse CAT5e Extender 150M**  
To extend HDMI and USB keyboard mouse signals over one CAT5e cable.



## HKM01E

**HDMI Distributor Amplifier**

**4K 1 x 2 HDMI Distribution Amplifier**


To distribute one HDMI input to two identical outputs.



## HD02-4K

**4 x 1 HDMI Seamless Switcher & Multiviewer**

(for 4 x DVR's/NVR's to display in one monitor)  
To switch seamlessly one of four inputs and five multiview mode to one HDMI output.



## HM41E

## FIBER EXTENDER

**IP over Fiber Extender**  
Ethernet to Fiber Media Converter/Extender Kit



## IPO1F

**HDMI over Fiber Extender**  
Compact 4K HDMI Extender over Fiber (1KM) Kit



## HE01F-4K

## RACK MOUNTABLE HD-TVI/AHD/HDCVI/CVBS VIDEO DISTRIBUTION

Support HD-TVI, AHD, HDCVI, CVBS, NTSC, PAL video signal. Support high resolution up to 4K/1080P without any video loss.

8 Video input to 16 video output

**CD816HD**

16 Video input to 32 video output

**CD1632HD**



16 Video input to 64 video output

**CD1664HD**

# HD-TVI/AHD/HDCVI/CVBS TRANSMISSION

## Mini Video Transceiver

To send HD-TVI/AHD/HDCVI / CVBS signal over UTP cable.



**VB-11HD**

## HD HD-TVI/AHD/HDCVI/CVBS Video & Power Balun

Transmit HD-CVI/TVI/AHD video and power over one CAT5e cable.



**VB-18HD**

## HD Mini Video Transceiver with coax pigtail

To send HDCVI /CVBS signal up to 400M over UTP cable. To send HD-TVI/ AHD signal up to 250M over UTP cable.



**VB-12HD**

## HD-TVI/AHD/HDCVI/ CVBS UTP Active Receiver

HD-TVI, AHD, HDCVI UTP active receiver. Support HD-TVI/AHD/HDCVI 1080p/4K



**TTA111HDR**

## HD 4 Channel HD-TVI/AHD/HDCVI/CVBS Video Transceiver

Transmit a full color video signal up to 300 meters.Distance Up to 1Km when used with an active receiver



**VB-14HD**

## HD-TVI/AHD/HDCVI/CVBS UTP Active Transmitter



**TTA111HDT**

## HDMI/VGA/BNC MONITORS



### IMHD-10N

10" HD 800 x 600 LED Monitor, HDMI, VGA, Looping BNC Inputs



### IMHD-17AN

17" HD 1280 x 1024 LED Monitor, HDMI, VGA, Looping BNC Inputs



### IMHD-24HVB

### IMHD-24HVBN

24" Full HD 1920 x 1080 LED Monitor HDMI 2.0, VGA, Looping BNC Inputs & Outputs



### IMHD-20HVB

### IMHD-22HVB

### IMHD-22HVBN

20/22" Full HD 1920 x 1080 LED Monitor HDMI, VGA, Looping BNC Inputs & Outputs



### IMHD-32HVBN

32" 1920 x 1080 Monitor, HDMI 2.0, VGA Input, Looping BNC Inputs & Outputs

## 4K MONITORS



### IMHD4K-28

28" Ultra High Definition 4K Monitor  
3840 x 2160 Monitor HDMI, DisplayPort



### IMHD4K-32A

32" Ultra High Definition 4K Monitor  
3840 x 2160 Image, HDMI, DisplayPort

## METAL, WATERPROOF, & VANDAL PROOF

OVM Outdoor Vandal Series Monitors: Designed for 24/7 Operation, 1920 x 1080, 300cd, IK10 Vandal Resistant, IP67 Weatherproof, 5ms (no ghosting!), HDMI 2.0, VGA, Built-in Speaker



### IMHD-32OVM

32" metal waterproof and vandal-proof monitor

Side View  
with Protective  
Covers



Waterproof HDMI Connection

## PVM MONITORS



**IMHD-7PVM**

7" HD Analog PVM Monitor  
(2) HDMI, VGA, RJ 45 PoE Input, BNC Output, 5 MP Built-in Camera, PoE+



**IMHD-27PVM**

27" HD Analog PVM Monitor  
(2) HDMI, VGA, RJ 45 PoE Input, BNC Output, 5 MP Built-in Camera, PoE++ Powered



**IMHD-32PVM2HDMI**

32" 1080P IP PVM Metal Case Monitor  
(2) HDMI, (1) VGA, BNC Input, BNC Output

## FRAMELESS MONITORS



### IMHD-22HVF

22" Frameless Plastic Case LED Monitor  
1920 x 1080 LED, HDMI 2.0, VGA

### IMHD-27HDF

27" Frameless Plastic Case LED Monitor  
1920 x 1080, HDMI 2.0, DP



**IMHD-27HDFW**

27" Frameless Plastic Case LED Monitor,  
1920 x 1080, HDMI 2.0, DP



**IMHD-10/15/19/22FLUSH2A**

10/15/19/22" 1920 x 1080 Flush Case Monitor

CALL TODAY TO ORDER: 1-866-666-9004

Connectors  
Plus

# HD-TVI/AHD/HDCVI/CVBS SURGE PROTECTION

## 4K HD-TVI/AHD/HDCVI/CVBS Video Surge Protector

- BNC male to BNC female.
- Provide protection for HD-TVI, HDCVI, AHD, CVBS camera & DVR devices



**SP-9**

## VGA TRANSMISSION

### VGA to Composite Video Converter



**VIDC-01**

### CVBS to VGA Converter with Loop Out



**VGA-2HR**

## VIDEO INTERFERENCE / POWER CENTER

### Passive Analog Coaxial Video Ground Loop Isolator



**G-01**

### Passive HD-TVI/AHD/ HDCVI/CVBS Ground Loop Isolator



**G-001HD(P)**

### AC to DC 12V Power Converter 2 Amp

Allows DC powered camera to be powered by AC



**PCC-2A**

## COAXIAL CABLING SOLUTIONS (Distributor)

### 1 Input to 2 Output HD-TVI/ AHD/HDCVI/CVBS Video Distributor with up to 4K resolution



**CD102HD**

### 1 Input to 4 Output HD-TVI/AHD/HDCVI/CVBS Video Distributor with up to 4K resolution



**VDA-4HD**

### 4 Input to 8 Output HD-TVI/AHD/ HDCVI/CVBS Video Distributor with up to 4K resolution



**VD-408HD**

## INVID TECH ACCESS CONTROL

### INVID-AIR-R Reader Multi Frequency RFID with BT And Mobile Capable

INVID-AIR-R Pro RFID reader is designed to work with any access-control system controller via Wiegand and RS-485 interfaces with the support of Open Supervised Device Protocol (OSDP).

- Resilient MQTT Protocol
- Wiegand and OSDP Supports
- Bluetooth Credentials
- Web Base interface
- Multi-Reader 125KHz/13.56Mhz/2.4Ghz
- RFID Copy Protection



### INVID-ICON-PRO Controller 4 Relay Poe Wi-Fi\*

Network access controller INVID-ICON-PRO allows control access to buildings with electromagnetic or electromechanical locks. Automates the passage of vehicles, keeps tie and attendance hours, and much more. Multiple connectivity options like Wi-Fi\* or Ethernet + POE.



### INVID-AIR-B Button No Touch Configurable

INVID-AIR-B No Touch Exit Button is widely used in access control and security applications where on-demand passage opening control is required.

- High Durable Output
- Selectable Delay 0.5-10s
- Sound Control
- Two Work Modes
- Selectable Distance 0-20 in
- Wide Voltage Range



### INVID-WIRELESSWIEGAND-X Universal Wireless Wiegand Point To Point Bridge Device

INVID-Wireless-Wiegand "WW" device kit allows you to connect peripheral devices such as readers, electric locks, door position sensors, and exit buttons to the access control controller unit up to 3,281 feet (1,000 meters) without having to run communication cables. "WW" devices. Included in the kit are ready to use out of the box. Additional configuration of the kit is done through the built in web interface accessed via the built-in Wi-Fi\* access points. To increase security, data exchange between devices can be encrypted.



### INVID-AIR-CR Controller All In One 1 Door Built In RFID Reader



INVID-AIR-CR Network Access Controller allows you to control access to your building with electromagnetic or electromechanical locks. It automates access for vehicles, tracks time and attendance, and more. The controller provides several Internet connectivity options, including Wi-Fi\* or Ethernet, and supports Wiegand or RS-485 reader connection with Open Supervised Device Protocol (OSDP) for next generation secure readers

- Resilient MQTT Protocol
- Wi-Fi\* & Ethernet Connection
- Bluetooth Credentials
- Web-Based Interface
- Multi-Reader 125KHz/13.56Mhz/ 2.4Ghz
- All-In-One Small Package

### INVID-KEYFOB Key Fob

Small "Mifare 13.56 MHz" key fob with copy protection and epoxy coating



The "Gate" device provides a connection to the controller unit for which it is equipped with appropriate inputs and outputs.

\*Wi-Fi - is not recommended for any long range communication, short range only (4-8 feet). 2.4Ghz Wi-Fi only. Wi-Fi is recommended for configuration, troubleshooting and updates.



# CONNECTORS & TOOLS

## COMPRESSION CONNECTORS

### SB-016 Series BNC Male Compression

SB-016B For RG-59/U  
SB-016C For RG-6/U  
SB-016BP For RG-59/U Plenum



### SF-867 Series F Male Compression

SF-867B2 For RG-59/U  
SF-867C2 For RG-6/U  
SF-867CQ2 For RG-6/U Quad Shield



### SR-1020 Series RCA Compression

SR-1020B For RG-59/U  
R-1020C For RG-6/U



### SB-105 Series

BNC Male Crimp 3 PC Construction  
SB-105B for RG-59/U  
SB-105C for RG-6/U  
SB-105D for RG-179/U  
SB-105U Universal: for RG-59/U & RG-59U Plenum



### SB-132

BNC Double Female Bulkhead Adapter



### SB-133

BNC Double Male Adapter



### SB-134

BNC Adaptor One Male Double Female



### SB-135

BNC Right Angle One Male One Female



### SB-136

BNC Adapter Three Female



### SB-144

BNC Male to RCA Male



### SB-146

BNC Male to RCA Female



### SB-146G

BNC Male to RCA Female. Gold Plated



### SB-147

BNC Male to F Female

### SB-150

BNC Female to F Male



### SB-156

BNC Female to RCA Male

### SB-156G

BNC Female to RCA Male, Gold Plated



### SB-161 Series

BNC Female Crimp 2 PC Construction  
SB-161B for RG-59/U  
SB-161BP for RG-59/U Plenum  
SB-161C for RG-6/U



### SB-162

BNC Female to Double Male T Type



### SB-164

BNC Male to BNC Female



### SB-166

BNC Three Male T Adaptor



### SB-169

BNC 90 Degree Type: Male/Female/Female



### SB-170

BNC Male to Two Female Right Angle



### SB-171

BNC One Male to Two Female Y Type



### SB-114 Series

BNC Male Crimp 2 PC Construction  
SB-114B for RG-59/U  
SB-114BP for RG-59/U Plenum  
SB-114C for RG-6/U  
SB-114CP for RG-6/U Plenum  
SB-2219D for RG-179/U Mini-Max



### SB-116B

BNC Male Terminator 75 OHMS



### SB-120 Series

BNC Female Twist-On  
SB-120B for RG-59/U  
SB-120BP for RG-59/U Plenum  
SB-120C for RG-6/U

### SB-128

BNC Double Female Adapter

## TOOLS

### CF-5068

Multi-Function telephone tool crimps, cuts and strips for easy on-the-job tool application. For RJ-45/11, RJ-12/11 Modular Connector Steel Frame



### DL-8073RC

3 in 1 Compression Tool: for BNC, RCA & F Compression Connectors



### HT-801C

Ratchet Compression Crimping Tool for RG-59/U & RG-6/U



## MODULAR PLUGS

### RJ45 CAT5E/CAT6 Modular Plugs

#105 CAT5E RJ45 Modular Plug 100 Each/Bag  
8P8C Round Solid Cable

#106 CAT6 RJ45 Modular Plug 100 Each/Bag



## F & RCA CONNECTORS

### SF-804B

F Male with attached 1/2" Grip Ring for RG-59/U



### SF-804C

F Male with attached 1/2" Grip Ring for RG-6/U

### SF-806

Universal F Male Crimp with attached 3/4" Grip Ring (for RG-6/U Quad, Tri, Plenum & PVC)

### SF-810B

F Male Twist-On For RG-59/U

### SF-810C

F Male Twist-On For RG-6/U



### SF-818

F Double Female Bulkhead



### SR-1002

RCA Female to F Male

### SR-1004

RCA Male to F Female



### SR-1005

RCA Double Female



### SR-1010

RCA Double Male Bulkhead



### SR-1013

RCA Double Male

## SIMPLY45® PASS-THROUGH RJ45 TERMINATION SYSTEM

Re-engineered pass through RJ45 modular plug to be better quality, easier to use and more affordable.



- USA Designed, TAA Compliant
- Color Tinted for Easy Identification
- Matching Jar Cap & Connector

### SIMPLY45® — CAT5E

Blue tinted Jar Cap & Plug

### SIMPLY45® — CAT6

Green tinted Jar Cap & Plug



### S45-C100

- Simply45® Pass-Through RJ45 Crimp Tool for UTP & Internal Ground Shielded Pass Through RJ45 Mod Plugs, Built-In Stripper/Cutter



### S45-C101

- Simply45® ProSeries All-In-One RJ45 Crimp Tool for All Shielded & Unshielded Simply45® Brand Pass-Through & Standard WE/SS (8P8C) RJ45 Mod Plugs.
- Includes: Tool Lock, Click Socket, Blade Storage, Stripper/Cutter

CALL TODAY TO ORDER: 1-866-666-9004

Connectors  
Plus





## PAR-P2DOORCHI

### Doorbell Chime Classic /tones

A variety of mounting options,  
easy to install  
Adjustable volume and ring tone  
Battery powered/  
low battery reminder

## 3W 8MP MZ 24/7

### 8MP 4K 4IN1 5X AF 24/7 Color HD Turret



- Image Resolution: 4K 1/2.8" SONY
- Starvis Backilluminated CMOS sensor
- AHD/CVI/TVI/CVBS 4 IN 1
- Support Warm Light up to 160 FT
- IP67 Outdoor, OSD&UTC Support



## PAR-P2DOORBELL

(DC12V/0.5A/PoE)

## PAR-P4DOORBELL

(16-24vac only)

### 2 MP or 4MP IP Outdoor Doorbell Camera

2.3mm Lens, 3.3' IR Range,  
Video Intercom & Supports  
Audio/Video with Mobile App,  
SD Card Slot



## P2P-2.4-1.5X 5KM Wireless Bridge

### Features:

1000Mbps bandwidth and 5 km  
transmission Wireless digital bridge  
WAN:1\*10/100/1000 Mbps Adaptive  
network interface  
LAN:1\*10/100Mbps Adaptive  
network interface  
Supports input PoE 24V or DC 12V1A  
Power supply distance of 50-70 m  
(related to cable material)  
Outdoor ip65 windproof, rain  
Displays the channel pairing number

*Call for pricing!*

**Call Today to Order: 866.666.9004 | [connectorsplusinc.com](http://connectorsplusinc.com)**



**561.588.8166 • [info@connectorsplusinc.com](mailto:info@connectorsplusinc.com)**